



Frend over: Impola Sport Coupe in Surf Green

Suck corer: Impala 9-Passenger Station Wagon in Honduras Maroc

AT 1-LAKE SHOON IS PROPERLY SHAPOON.

1962 Chevrolet

an elegant blend of the tried and new Here is a car that does justice to its tradition... the '82 full-sized Chevrolet. It's the new beauty with Jet-amount ride. In it, you will see many of the enduring qualities that have consistently made Chevrolet America's most popular car. You'll see the same concern for craftsmanship, inside and out. You'll find the same basic engineering excellence. Even the same sensible size people liked so much last year. But you'll have to look midsty hand to find outything the tim'l broad spanking near in its clean-lined looks and luxurious appointments. On the road, it looks longer and more elegant. That's the result of a beautifully planned and executed sylling concept. Each new flowing line and body sculpturing adds to its handcrafted appearance. Inside, labrics and trim achieve a new level of luxury. There are new engines, and Chervolet's be Luxua Air Pow Hester and Defronter is standard equipment for '62. And when it comes to money searing features, Chervolet, as always, it shifting of you. The '52 Chervolet has been found to the control of the same of the reasons—tradition teamed with advancement—why in 1952 there's a new sort of a worth from Chervolet.





Impala

fashioned for a new measure of excellence We're pretty proud of this year's Impala. A rare combination of qualities mark it as just about the finest automobile inventment you can make. Its reip, long lines accounted with tasted libright metal trim have created a new look of richness. For 1962, each Impala model has its own distinctive roof line—topole by the exclusive convertible-contoured hardtop of the new Impals Sport Coupe. Sim-pillar design graces 4-Door Sedams. Inside, you emjoy the confirst of extra-thick founce cubpless of the control of the confirmation of the confirmati



If you really care about husury in a car, take a dose look at the car that was made for you. Impals a set fabrics are the the finest equality. Tuffeet bother in seat backs are made of weeky cloth in all models except Convertibles. Leather grain waity trim and bright-aluminum front seat and panels add the finalising touches. Content-length arrivents have built in although the content of the con











Impals Sport Sport . . , personalized version of Cheroric's most signat series . Chevrolc's sportal Impals Sport Sport sportage of the sport sport sport of the sport sport sport of the full full-size from and conflort. It is available for both the Impals Sport Coope and Impals Convertible such lacked sport spor



Chevrolet's Impala Convertible is elegance designed for fun in the sun. Seats are upholstered in a combination of leather-grain and new patterned winyl; colorful side panels are also all vinyl. Soft, feels carpeting overs the floor. Seven interiors are available—flown, squa, blue, green, gold, black and red (illustrated at right)—keyed to exterior color. Automatic front courtesy lights, and all other standard Impala equipment, are yours on the Convertible. Too made of coggb, weathertight Chevrolon fabric.







Bel Air

so much to enjoy at a popular price Be Ala will be getting its abare of second glances this year. For Chevvolet has made the 1982 Bet Ali more lasarizes than ever before. Upholstery and trim are rich and colorful, and erey Bet Ali model has a fully carpeted floor. To go along with this new distinctiveness is the convenience of the '62 Chevvolet's full-tier commises. Head room, hip room, leg room are more than ample in every model. Does are big and wide. And Chevvolet's trip-sized trunk features a special deep well five extra-full times. Despite its spacious interiors. Bet Bel Air (as every '62 Chevvolet') and 4-Does 'Sedons feature dis-pulled design. For your further enjoyment, the Bel Air's eave-handled price includes glove box light, automatic done light, twin raar ashtrays, foam-custioned seater front and rare, to load a distinctive steering when with humbershow home resultances.



Sic in any Vil. Birk AV with your eyes closed, and you'd have to topic time quanting its price. Fourcushioned seats, fully carpried floor and plush publishery give the comfort of a car costing much publishery give the comfort of a car costing much publishery give the comfort of a car costing seat of the comfort of the cost of the cost of the Beautiful fabrics are combined with supple viryiset and side part time, interest to be acceptaand side time are must conglumentary color accepts, and side time are considered as a side of the control plus highly-based long arments, and to the overall effect. And every trim detail shows the attention of Fabric Body cartiness, Interior Newfort to body of Fabric Body cartiness, Interior Newfort to body of Fabric Body cartiness, Interior Newfort to body



Value

that comes from forward-thinking design, careful craftsmanship

Chevrole has the enviable reputation of being a wonderful act to own and drive . . . a valuable property when it comes time to trade. This is true because Chevrolet's brand of value is built in from the ground up. A procept the property of the property of the property of cealing these of care costing much more, because Chevrolet and whiper quiet. Much of the credit post to the superiority of Pall Coll superspinon, , featuring four big.



hasky coll grieng that sook up burga like a soone. And these oil speing never sprine, sever war out. On further smooth and silence Chevolcit's ride, over 725 points are individually insulated and cushioned with sound and withston dampening materials. Eight extra-thick burly rubber body montis (except Convertible) are scientifically placed to achieve the maximum shock absorbing effects. For these training that is considered to begin decided, the contract of the

the wheel. This quality engineering is what makes Chevrolet's Jet-month ride the one great ride in its field gives Chevrolet its reputation for extra-value features. Safety-Girder Frame provides the solid foundation for Chevrolet's great ride and stability. It's X-built for extra rigidity, with a heavy steel center support. Box-section body side rails offer extra side protection.



Sturdy roof, body and floor panels are welded together to form a single unit designed to give years of satisfying service, Fer 1987, a new inner front fender guarda against the harmful effects of sinsh and road alt. Fisher Body's parts which folks have come to expect from Chervolet, Pall Coll Supersenses helps to give Chervolet is marvedous handling cualities, as well as its outstanding ride. Its foor-link rere supersion gives designed-in resistance to side-way. ... virtually eliminates rear-end squat on society of the content of the conten

its four deep coil springs.

Ball-Race Steering Gear is something every full-sized car
should have. In Chevrolet, its almost frictionless action
makes for surprisingly light steering and easy parking.
And its quick response makes Chevrolet just about the
most procise handling full-sized car on the road.



Safety-Master Brakes have proved their outstanding performance and wear characteristics in years of owner driving. Big brake cylinders give plenty of power for quick, steady stopping with less petal pressure. Bonded used to be provided by the property of the property of used to be provided by the provided the provided by the theory of the provided by the provided

Plus

a host of quality extras

New Corrosion-Resistant Mufflers for '62 will make a solid contribution toward cutting your maintenance costs. Chevrolet's new mufflers are made with aluminum and zinc coating that gives vital corrosion protection in strategic areas.



"Start," plus the convenience of a separate "Accessory" position. Allows operation of radio and heater without the battery drain of the engine ignition system. When left in "Off," car can be operated without a key. Single-Key Locking System lets you unlock doors, glove box, ignition and trunk all with the same key. And Chevrolet's push-button door locks mean you can lock any door without a key. Best of all, rear doors of every full-sized Chevrolet feature Safety Door Locks to keep them from being opened accidentally from the inside. Magic-Mirror Finish gives every Chevrolet a deep-down, long-lasting luster. Its acrylic base protects against chipping . . . resists sun-fading and the corrosive effects of salt and road tar. For 1962, there are 14 Magic-Mirror colors (9 of them brand new), and 10 two-tone combinations. Two-toning not available on Convertible.

5-Position Ignition Switch has "Lock," "Off," "On."



High-Level Ventilation helps to supply cleaner, fresher outside air for driver and passengers. Air scoops at cowl level, above low-lying dust and exhaust fumes, take in air for ventilation. This design is especially valuable in bad weather when windows are likely to be closed.



accelerate. And Chevrolet's parallel-action wipers clear the windshield in an overlapping pattern, eliminating the center blind snot. Two-speed electric wipers with windshield washers are optional at extra cost. Crank Operated Ventinanes are another example of the extra value you get, at no extra cost, in Chevrolet, To open or close the side vents, you just crank them to the desired position. Statically Balanced Wheels and Tires-a special step in the production of each and every Chevrolet-assure that wheels roll easily, tires enjoy maximum life. Foot Operated Parking Brake operates simply, sets firmly, releases safely. When you set the brake, a "T" handle on the dash pops out and the foot pedal returns to its normal position. To release, you just pull the handle. Ratchet action lets you take up any slack with



De Luxe Air Flow Heater. Standard equipment on all full-sized Chevrolets for '62. Features an air-blending system that gives instant temperature control. High-level outside air intake. Fan, Def., Heat and Air controls are conveniently grouped in an illuminated panel.



Power Teams

a choice for every driving need

Again in '62, Chevrolet offers a wide range of engines and transmissions to help you build a power team specifically for your kind of driving. And many of the engines and transmissions you'll want to choose from are new designs for 1962, Check this run-down on Chevrolet power teams—consult the handy power team chart to see how you can fit one to your preds.



6 ENGINES 128-bp Ht-Trift 225. This famous Chevrolet 6 has proved its dependability and economy over many millions of owner-driven miles. Among its outstanding features are precision-balanced forest steel crimicalarit for amounter advanced valve-in-head design featuring hydraulic valve lifters that never need adjusting. V2 improvements: a new oil-wetted air fifter made of easy-to-chem polyuverbane

Compression ratio: 8.25 to 1.

170-by Twhe-Tire 233. Chevrolet's standard V8 engine combines lively V8 performance with budget-watching fuel economy. Its economy-constoured cambatt delivers more torque-more efficient performance—in the low and A thrity 2-barrel carbonetes below proposed of the A thrity 2-barrel carbonetes below squeeze more miles out of every gallon of morey-swelly regular gas. This year, automatic choke operation has been made even more reliable. And a new air cleaner lite quiets the flow of air through the carbonetes. Other standard equipment stater and full-flow oil lifet. Dissipationness; 250 cit. in stater and full-flow oil lifet. Dissipationness; 250 cit. in

Compression ratio: 8.5 to 1.
250-hp Turbo-Fire 327. Here's a totally new 327-cu.-in.
250-hp Turbo-Fire 327. Here's a totally new 327-cu.-in.
250-hp Turbo-Fire 327. Here's a totally new 327-cu.-in.
250-npine for 62. It's light in weight, with high power output—resulting in new operating efficiency and outstanding performance. Cast iron cylinder heads of new composition give greater strenth. Social water passages



provide better spark plug cooling. Full-pressure lubrication system with full-flow oil filter, 4-barrel carburetor, hydraulic valve lifters, automatic choke, dry-type air cleaner and dual exhausts with resonators are all standard equipment. Compression ratio: 10.5 to 1, 300-bs. Turk-Pice 327. 8 (Engineers), boots the power.

solven turbo-rice azz. recinnents toxost tre power output on this modified version of Chevrolet's 227-cu.-in. V8. A larger 4-barrel carburetor (featuring aluminum construction), oversized index valves and a larger dual exhaust system provide the key to its 300-hp rating. Compression retio: 10.5 to.

ratio: 10.5 to 1.

Mik-la Turbe-l'ure 40.* This is a busby 600-u.in. Vi Mik-la Turbe-l'ure 40.* This is a busby 600-u.in. to was a Speak financiar sinched a large-throat 4-barrel aluminum carburetor, dual-sociale air cleaner, large-passage intake manifold, high-performance carashaft with mechanical valve lifters, tough-surfaces cranshafts bearing and extra-etrong pissons. Its cranshafts bearing and extra-etrong pissons. Its circumbalant bearings and extra-etrong pissons, law is considered bearing and extra-etrong pissons. Its consideration of the co

499-bp Turbs-Fire 469.* Designed for all-out performance at peak engine speeds. Hat wim 4-barrel carburetors, large exhaust passages, plus other modifications. Includes all Turbs-Fire 409 features. (80.00 x 14 nylon cord tires* are recommended with all 409-eu-in. engines.) Compresser



4 TRANSMISSIONS

Standard 3-Speed Synchro-Mesh. This dependable, easyshifting transmission is standard on all Chevrolet models, and is designed to be teamed with any of Chevrolet's six engines for 1962. Gear ratios matched to engine Overdrive.* Chevrolet Overdrive will help you get the top economy the engine is designed to deliver. It cuts the number of engine revolutions for each turn of the wheels, saving gas, reducing engine wear.

4-Speed Synchra-Mesh.* Offered as a high-performance

wheels, saving gas, reducing engine war.

4-Speed Synebe-mash. "Gifferd as a high-performance
partner with Chrevelet's 327" and 409-cu.in. engines.

see the continue of the c

1962 CHEVROLET POWER TEAMS				
STANDARD ENGINES	3-SPEED SPINCHED MESH	-JANSSENG-	4.59EB 578CHD MESH	POWENCE DIT.
135 ha Hi-Thirth 235	3.36.1 auto**	3.701 auto	N.A.	3.36.1 axis
170-by Yurbo-Fire 283	3.361 axle	3.70:1 axle	N.A.	3.36 1 aule
OFTIONAL VEN				
265 hg Turbo-Fire \$27	3.36 1 avie	NA.	3.36.1 axis	3.06 1 asia
100-to Yurbs-Fire 127	3.34 1 aste	N.A.	3.361 axie	3.36 ash
180-by Yurbs-Fire 486	3.36 1 asle	N.A.	3.081 axlet	N.A.
488-by Turbs-Fire 488	3.36 l asle	N.A.	3.081 axlet	N.A.

Comfort and Convenience

with '62 Chevrolet options and custom features



Power Steering.* Smooth, almost effortless control that responds instantly to your touch. Hydraulic pressure does up to 80 per cent of the work, takes the chore out of handling and parking. Yet, you still have excellent road feel, even at highway speeds. Low (24:1) overall steering ratio gives quicker response. Coming out of turns, wheel returns smoothly and surely.



Power Braken.* For 1962, you can put greater stopping case and safety at the tip of your toe. A large power cylinder increases braking force by up to one-third, with the same pedal pressure. Wide, low pedal assures fast, sure application. Large vacuum reserve supplies braking

power even after the engine is shut off.

Power Windows.* A touch of the finger-tip control
moves side windows up or down. Electric motor provides
quiet power. Driver's master control operates all windows. Passengers have individual control at each window.

Available on all Immola and Bel Air models.

Available on an impala and size Art motors.

6-Way Flexomatic Power Seal.* Versatile, poweroperated front sent adjusts to any position. Three-button
control panel lets you move the seat fore and aft, up and
down, or tilt it forward or back. (Available with all
Impala and Bel Air models.)

Impaia and Bel Air models. ARI-Weather Air Coaddisaning.* Improved, quieter unit offers year-round driving comfort for any 1962 Chevrolet. Keeps you cool and fresh in summer, warm as toast in winter. System provides de-humidified air that is virtually dust- and polten-free inside the car. Outlets are located for maximum comfort.



New De Luxe Pash-Button Radio.* New all-transistor radio takes 30% less current to operate, built to deliver longer life. It's acoustically engineered for Chevrolet interiors and features automatic volume control to prevent station fading. Five push buttons can be easily set to any station.

to any station. Rear Axle.* Wherever the footing is unsure —in snow, mud, sand and gravel—Positraction transfers power to the wheel with the grip. Available for all 1962 Chevrolet power teams.

Chevrolet power teams.

Soft-Ray Tinted Glass." Helps shield you from the sun's heat and glare—reduces the brilliance of oncoming headights. Windshields and Bel Air Sport Coope rear windows feature a graduated dark band at the top to give additional protection against glare from overhead. Soft-Ray tinted glass is available for all windows, or for windshields or Bel Air Soort Coupe rear windows, searcately.

Specifications

Body — All weided Fisher Unished construction, sealed and insolated, accountingly bushed, extra-large rabber mountings (except Convertible). Double-waited corel, extra-havey ides sais and integral body crisismembers. High, leaved weilstations and bush in helseded as inheat and defeators papers, Magne Hinner acrylic larquer fromts. Carak-operated weilspanse. Boil-deem rare window in Station Wagners, power operated in 47 passaeger models. Single-key lucking system, Replaced technique, publishent door hardens. Interiors

Biocayne Standard Features—Distinctive trim and identification, dust electric partiell selfent windthiald signer, directional signals, encined thereing column, 12" recessed-but being selfent born buttes, fear outsides of toot seats, freet americat, two cost books, dual adjustable sun visors, cignette lighter, give compartment lock, Nylon-belong states; olds) seat updatatery and cloth headslining implices.

Bit Air Additional Features—Colleguilly tim not intellection, have collisioned nor sets, which being planter of the step spikely. We might be given by a fine fine plant of store Magas, child is state model. Because his drawing when with dual flower batter have control, rear arrested, give great factors.

Impact. Additional Features—Lavry from and finitions intelligation, planters that set no state, early large and the state of state, early large and the state of the state of the state of the state of state, early large arrests with figure 16 does need. Special special settled, showing that set used state of the state of the state of the state of the state of state of the state of the state of the state of state of the state of the state of state of the state of the state of state Transport — The Association of the Control (1984) and Control (1984) a

Transmission - POWERGLIDE*, Two-speed three-element brops convertor with hydraulically controlled planetary gasts. Publics paring lack, Selector requests Park-R-N-D-L, 4-SPEED STROMED-MESS*, Abarran case, all helical gast design, at I have all gast lack by synchronized. Close of stoles with 300 or in 15 Min. Centrol Rec-monstella shall laver. OVERSONY: 5-Speed Synchron Mash plus 2-speed planetary centroline, an engaged semi-schemiscoling sides approximately 30 m. ph. 3-SPEED STROMED-MISS. All-helical gasts.

Ziutch — Single plate (by disk with two facings, spring cushioned, permanently lubricated release bears 5-lecth disphragm spring type with 125-bp IN-Tastf 225 engine. 13-lech disphragm spring type with 1370lecth-fire 231 issueri-centrifugal type with Countries transmission). 13-3-lech bear centraling tipe spring type with 250-bp Tastfe (by Tastfe). 25-5-lech semi-centrifugal coil spring type with 250-bp 10-fire 227, 10.5-lech semi-centrifugal coil spring type with 250-bp 10-fire (by 10-general).

Chassis—SAETY-GIEDER FRAME: Bigld, tunnel-center X-built. FULL COIL SUSPERSION: Four coil springs with double-scring shock aborders and built-in levelizing action frant and rear. Bide stabilizer several to Scrinder Builds of Short Scrinder Builds.

7.90 i 14 m/y order bischend televier from—enception; 7.00 i 14 m/y order on Entrews Sedam will challed 6 w Weiger and measure offer transmiss. 120 i 14 m/y order on 10 titler Segam and find of the sedam of the find operated mechanical parties (rich a 311/180%, Frencisco film-fine pass - event into 221 standard, 121 min pures strainer, FAM ARIL Spring, sedam officially, for sedam of the sedam

Optional Engineers "Press Institut, Press Institut, Press Institut, "Engineers Engineers and Engineers Eng

*Optional at extra cost. **Availability determined by either model or equipment.

All illustrations and specifications contained in this literature are based on the latest product information available at the time of publication approvix. The right is inserved to make changes at any time without notice in prices, colors, materials, equipment specifications and made, and also to discretione medium.

